

APPLICATION FOR PERMIT
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office.....NOV. 2, 1979.....

Returned to applicant for correction.....

Corrected application filed.....

Map filed.....

The applicant.....Pauline Fay DeTinne.....

4940 Grove....., of Rocklin Ca.
Street and No. or P.O. Box No. City or Town

Calif. 95677....., hereby make..... application for permission to appropriate the public
State and Zip Code No.

waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.) N/A

1. The source of the proposed appropriation is.....Underground.....
Name of stream, lake or other source.

2. The amount of water applied for is.....2.7.....second-feet
One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet.....N/A.....acre-feet

3. The water to be used for.....Irrigation.....
Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.

4. If use is for:

(a) Irrigation (state number of acres to be irrigated).....3.20 ac.

(b) Stockwater (state number and kinds of animals to be watered).....

(c) Other use (describe fully under "No. 12. Remarks").....

(d) Power:

(1) Horsepower developed.....Per Eng DWG.

(2) Point of return of water to stream.....

5. The water is to be diverted from its source at the following point:.....NW¼ of SW¼ of Sect 14

Describe as being within a 40-acre subdivision of public survey, and by course and distance to a section corner. If on unsurveyed land, it should be stated.

6. Place of use.....N½ of Section 14 T.30 N., R.48 E. State of Nevada - Eureka Co.
Describe by legal subdivision, if on unsurveyed land it should be so stated.

7. Use will begin about.....Jan 1.....and end about 12-31....., of each year.
Month and Day Month and Day

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) Pumped to pipelines to irrigation system
of main, lateral et al Eng. Dwg to be furnished.
State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits.

9. Estimated cost of works.....10,000.00.....
10. Estimated time required to construct works.....one year.....
11. Estimated time required to complete the application to beneficial use.....one - twelve mos.....
12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

Domestic use - approx 10,000 gal per year.....

ApplicantS/ Pauline F. DeTinne.....

By.../s/ Pauline F. DeTinne.....

Compared dc/bc.....

4940 Grove
Rocklin, 95677

.....OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed.....cubic feet per second.....

Actual construction work shall begin on or before.....

Proof of commencement of work shall be filed before.....

Work must be prosecuted with reasonable diligence and be completed on or before.....

Proof of completion of work shall be filed before.....

Application of water to beneficial use shall be made on or before.....

Proof of the application of water to beneficial use shall be filed on or before.....

Map in support of proof of beneficial use shall be filed on or before.....

Commencement of work filed..... IN TESTIMONY WHEREOF, I.....
Completion of work filed..... State Engineer of Nevada, have hereunto set my hand and the seal of
Proof of beneficial use filed..... my office, this..... day of.....
Cultural map filed.....
Certificate No..... Issued..... A.D. 19.....

CANCELLED JAN 17 1980 BECAUSE OF FAILURE

OF APPLICANT TO SUBMIT STATUTORY

FEES.

State Engineer

William J. Gorman
STATE ENGINEER